

Are Vaccines Safe?

Yes! Vaccines are among the safest medicines available. Vaccines are tested before they are licensed to make sure they are safe and to see how well they protect people against disease. Vaccines are also monitored for side effects after they are licensed.

Like all medications, vaccines are not 100 percent risk-free. Some people may have mild side effects, like a slight fever or soreness where a shot was given. Severe vaccine reactions are rare. The benefits of preventing disease are greater than the slight risk of a severe reaction to a vaccine.

Are you traveling out of the country?

You may need other vaccines to protect yourself against diseases that are not common in the U.S. Ask your doctor, nurse, or local health department if you have questions about which vaccines are recommended.


For more information about travel vaccines, visit: wwwn.cdc.gov/travel/default.aspx



More information on adult immunizations is available from these credible sources:

- Centers for Disease Control & Prevention <u>www.cdc.gov/vaccines</u> 1-800-CDC-INFO (1-800-232-4636)
- Washington State Department of Health Immunization Program CHILD Profile
 www.doh.wa.gov/cfh/immunize
 1-866-397-0337
- Local Health Departments <u>www.doh.wa.gov/LHJMap/LHJMap.htm</u>
- Immunization Action Coalition www.immunize.org
- National Network for Immunization Information
 www.immunizationinfo.org













Why do adults need immunizations?

Vaccine preventable diseases have no age limits – you can get them at any time in your life.

Some diseases are more common in adults and may cause life threatening health problems.

Vaccines are available that can protect adults against diseases like the flu, tetanus, whooping cough (pertussis), and hepatitis B.

You can protect yourself and prevent the spread of disease to your family members by getting immunized.

Many health plans cover recommended immunizations.

Check with your insurance plan or health care provider.



Which immunizations do a dult Sneed?

Your age, health conditions, job and lifestyle determine which immunizations you need. Talk with your doctor to find out more.

Chickenpox (varicella). Two doses of this vaccine are recommended for adults who have not had chickenpox disease.

Hepatitis A. Two doses of hepatitis A vaccine are recommended for: people with chronic liver disease, blood clotting disorders, people who live with or care for a person with hepatitis A, injection drug users, men who have sex with men, and some international travelers.

Hepatitis B. Three doses of hepatitis B vaccine are recommended for people who may be exposed to the disease, including: health care professionals, people with multiple sex partners, injection drug users, and men who have sex with men.

Human Papillomavirus (HPV). Three doses of HPV vaccine are recommended for women aged 19-26 years who did not get the vaccine at a younger age.

Influenza (flu). One dose of flu vaccine every year is recommended for anyone who wants to protect themselves from the flu, especially people 50 and older, people with chronic conditions, or weakened immune systems, and those who have close contact with children under age 5.



Measles, Mumps, and Rubella (MMR).

Two doses of MMR vaccine are recommended for all people born in 1957 or later. The vaccine is also recommended for health care workers, college students, and international travelers because they are at higher risk of getting these diseases.

Meningococcal. One dose of meningococcal vaccine is recommended for college freshmen living in dorms, adults with a damaged or removed spleen, people with HIV, military recruits, and some international travelers.

Pneumococcal. One dose of pneumococcal vaccine is recommended for all adults 65 and older and for people with chronic conditions or weakened immune systems. Some people may need two doses of this vaccine.

Tetanus, diphtheria, and pertussis (Tdap)/Td. All adults should get a tetanus booster every 10 years. One dose of Tdap vaccine should replace a single tetanus booster for adults under 65 years.



Shingles (Herpes Zoster). One dose of shingles vaccine is recommended for adults 60 and older, whether or not they have had shingles or chickenpox.

Protect yourself throughout life. Make sure you get all your immunizations!



Dear Colleague,

The Washington State Department of Health (DOH) is pleased to provide cameraready art for printing this educational material. To ensure that the original quality of the piece is maintained, please read and follow the instructions below and the specifications included for professional printing.

- Use the latest version. DOH materials are developed using the most current information available, are checked for clinical accuracy, and are field tested with the intended audience to ensure they are clear and readable. DOH programs make periodic revisions to educational materials, so please check this web site to be sure you have the latest version. DOH assumes no responsibility for the use of this material or for any errors or omissions.
- **Do not alter**. We are providing this artwork with the understanding that it will be printed without alterations and copies will be free to the public. Do not edit the text or use illustrations or photographs for other purposes without first contacting us. Please do not alter or remove the DOH logo, publication number or revision date. If you want to use a part of this publication for other purposes, contact the Office of Health Promotion first.
- For quality reproduction: Low resolution PDF files are intended for black and white or color desktop printers. They work best if you are making only one or two copies. High resolution PDF files are intended for reproducing large quantities and are set up for use by professional offset print shops. The high resolution files also include detailed printing specifications. Please match them as closely as possible and insist on the best possible quality for all reproductions.

If you have questions, contact:
Office of Health Promotion
P.O. Box 47833 Olympia, WA 98504-7833
(360) 236-3736

Sincerely, Health Education Resource Exchange Web Team